686 S. Adams Street, Kansas Čity, KS 66105 1-913-321-9000 FAX 1-913-321-9007 www.versaflex.com

Quality Control Daily Report Log

Date:Project Description:		Qualified Applicator:				
. Env	ironmental C	Conditions:				
Time of Day	Temp ° F	Relative Humidity	Wind Velocity	Substrate Temp, °F	Substrate Moisture	Dew Point
Description	of general we	eather conditions	:			
II. Sub	strate Prepai	ration:				
Substrate: Equipment: Surface Preparation Standard:				Square Footage: Air Pressure:		
Surface Pre Surface Pro General Co	file:					

686 S. Adams Street, Kansas City, KS 66105 1-913-321-9000 FAX 1-913-321-9007 www.versaflex.com

III. Primer Application:

Lot / Batch number: Application Technique: Amount Used:				
IV. Polyurea System Ap	plication:			
System Used:				
Lot / Batch Number:				
Application Equipment Used				
Spray Gun Mixing Chamber:		Spray Tip:		
Processing Temperature:			Hose:	
Processing Pressure: Static:				
Application Thickness:	Method Used:			
Value (mils / mm)	Approx	ximate Location		
	_			
	_			
	_			
Adhesion Testing:	Method Used:			
Adhesion Test Unit:		A 11 '	:	
Value (psi / Mpa)	Failure Mode	/ Comments		
	_			
	_			
	_			
	_			

686 S. Adams Street, Kansas City, KS 66105 1-913-321-9000 FAX 1-913-321-9007 www.versaflex.com

V.

General Application Comments:

Comments:	
	· · · · · · · · · · · · · · · · · · ·
VI. Retain Sample for Testing:	
In addition, a 12" X 12" (30.5 cm x 30.5 c Polyurea system supplier for conformal te	cm)(100 mils or less), retain sample should be prepared and sent to esting.
Samples sent by:	Date:
Reported by:	Date:

This document contains information that is the confidential and proprietary property of VersaFlex Incoporated. It may not be copied, published or disclosed to others, or used for any purpose other than review, without the express prior written consent of an authorized officer of VersaFlex Incorporated. No warranties are expressed or implied by this information. © 2014 VersaFlex Incoporated / Rev 10.14

686 S. Adams Street, Kansas Čity, KS 66105 1-913-321-9000 FAX 1-913-321-9007 www.versaflex.com

General Job Layout / Drawing: