# **EPO-CRETE SL PART B**

### SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

**GHS** product identifier: EPO-CRETE SL, Part B **Other means of identification:** Polyalcohol emulsion

**Recommended use of the chemical and restrictions on use:** N/A **Supplier's details:** VANBERG SPECIALIZED COATINGS

10705 COTTONWOOD ST. LENEXA, KS 66215

INFORMATION PHONE NUMBER: 913-599-5939

Emergency phone number: 1-800-255-3924

### **SECTION 2 – HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture:

Acute Toxicity - Dermal 5, Skin Corrosion/Irritant 5, Eye Damage/Irritation 5, Oral 5, Inhalation 5, Aquatic 2

#### **GHS** label elements:



Signal Word: Warning

**Hazard Statement:** May be harmful in contact with skin **Prevention:** Wear protective gloves/protective clothing.

**Response:** If on skin: wash with plenty of soap and water. Call a poison center or doctor/physician if you feel unwell. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician if irritation persists. Wash contaminated clothing before

reuse.

**Disposal:** Dispose of in accordance with federal, state, and local regulations.



Signal Word: Warning

**Hazard Statement:** May cause eye irritation **Prevention:** Flush eyes thoroughly after eye contact.

Response: If in eyes: rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.



Signal Word: Warning

Hazard Statement: May be harmful if swallowed

Prevention: Wash hands thoroughly after handling. Do not eat, drink or smoke when using this

product.

**Response:** If swallowed: Call a poison center or doctor/physician if you feel unwell. Rinse mouth.

**Disposal**: Dispose of in accordance with federal, state, and local regulations.



**Signal Word:** Warning

Hazard Statement: May be harmful if inhaled

Prevention: Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well ventilated

area.

**Response:** If inhaled: remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center or doctor/physician if you feel unwell.



Signal Word: Warning

**Hazard Statement:** Very toxic to aquatic life. **Prevention:** Avoid release into the environment.

**Response:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**Disposal:** Dispose of in accordance with federal, state, and local regulations.

#### Other hazards which do not result in classification

NΑ

Hazards Material Information System (United States):

Health	2
Flammability	1
Physical Hazard	0

Hazard Codes: Minimal Hazard, 1=Slight Hazard, 2=Moderate Hazard, 3=Serious Hazard, 4= Severe Hazard

#### SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

### **Mixtures:**

Hazardous Components (Chemical Name)	CAS#	Concentration
Vegetable oil	Trade secret	38-48%
Butyl Benzyl Phthalate	85-68-7	12-20%
Glycerin	56-81-5	1-5%

### SECTION 4 – FIRST AID MEASURES

### Description of necessary first-aid measures:

## **Eye Contact:**

**Remove contact lenses at once.** Flush eyes with water for at least 15 minutes while holding eyelids apart. Seek medical attention if irritation develops.

### **Skin Contact:**

Remove contaminated clothing and wash exposed area with soap and water.

#### **Inhalation:**

Remove to fresh air if effects occur. If not breathing, give artificial respiration. Get immediate medical attention.

#### **Ingestion:**

Keep person warm and quiet and get medical attention. Do not induce vomiting.

## Most Important symptoms/effects, acute and delayed:

#### **Aggravated Medical Conditions:**

Overexposure to vapor, dust, or mist may aggravate existing respiratory conditions, such as asthma, bronchitis, and inflammatory or fibrotic respiratory disease.

### **Other Health Effects:**

Unknown

# Indication of immediate medical attention and special treatment needed, if necessary:

Note to Physician: Treatment based on judgment of the physician in response to reactions of the patient. Contact a poison control center for additional treatment information.

### **SECTION 5 – FIRE FIGHTING MEASURES**

## Suitable extinguishing media:

Use water spray, dry chemical, foam, or carbon dioxide. Water or foam may cause frothing. Use water to cool fire-exposed containers. If a leak or spill has not ignited, use water spray to disperse the vapors and to provide protection for persons attempting to stop the leak.

# Specific hazards arising from the chemical:

Hazardous combustion products may include intense heat, carbon monoxide, carbon dioxide, dense smoke and irritating vapors. **Special protective actions for fire-fighters:** 

Use a positive pressure self-contained breathing apparatus.

### SECTION 6 – ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures:

Ventilate the area. Avoid breathing vapor. Use self-contained breathing apparatus or supplied air for large spills or confined areas. **Methods and materials for containment and clean up:** 

Contain spill if possible. Wipe up or absorb on suitable material and pick up with shovels. Prevent entry into sewers and waterways. Dispose of in accordance with federal, state, and local regulations.

### **SECTION 7 – HANDLING AND STORAGE**

### **Precautions for safe handling:**

Ground all transfer equipment. Take precautionary measures against static discharge. Handle as an industrial chemical.

# Conditions for safe storage, including any incompatibilities:

Keep container tightly closed when not in use. Practice good caution and personal cleanliness to avoid skin and eye contact. Hold bulk storage under nitrogen blanket. Store in a cool, dry place with adequate ventilation. Keep away from open flames and high temperatures.

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters: N/A

Hazardous Components (Chemical Name)	CAS#	PERCENT	EXPOSURE LIMITS	SOURCE
Vegetable oil	Trade secret	38-48	5 mg/m3 TWA Respirable Fraction	OSHA
Butyl Benzyl Phthalate	85-68-7	12-20	Not established	
Glycerin	56-81-5	1-5	5 mg/m3 TWA Respirable Fraction	OSHA

#### **Appropriate engineering controls:**

N/A

# Individual protection measures, such as personal protective equipment:

**Respiratory Protection:** Airborne concentrations should be kept to lowest levels possible. Use in an appropriately ventilated area. Selection of air-purifying or positive-pressure supplied air will depend on the specific operation and the potential airborne concentration of the material. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

# **Protective Clothing:**

Protective clothing such as uniforms, coveralls, or lab coats must be worn. Launder or dry-clean when soiled. Gloves and goggles resistant to chemicals and petroleum distillates required.

### **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

Appearance (physical state, color, etc.): Thixotropic liquid

Odor: weak odor Odor threshold: N/A pH: approximately 7.2

**Melting point/freezing point:** Less than or equal to  $0^{\circ}$  C

Initial boiling point and boiling range: 98° C

Flash Point: >100° C Evaporation rate:

Flammability (solid, gas): N/A

Upper/lower flammability or explosive limits: 1.5% @ 200° C PMA, 7% @ 200° C PMA

**Vapor pressure:** 33 mm/Hg @ 68° F **Vapor Density:** Not established

Relative density (specific gravity): 1.00 Solubility(ies): complete (in water)

Partition coefficient; n-octanol/water: N/A

**Auto-ignition temperature:** N/A **Decomposition temperature:** 375° C

Viscosity: N/A

### SECTION 10 - STABILITY AND REACTIVITY

Reactivity:

N/A

Chemical stability:

Stable under normal conditions of handling.

Possibility of hazardous reactions:

Will not occur.

Conditions to avoid:

High temperatures over 70° C, freezing temperatures and open flame.

**Incompatible materials:** 

N/A

Hazardous decomposition products:

Carbon monoxide, Carbon dioxide, dense smoke, irritating vapors

### SECTION 11 - TOXICOLOGICAL INFORMATION

#### Likely routes of exposure:

N/A

Symptoms related to the physical, chemical and toxicological characteristics:

**Eye Contact:** 

May cause eye irritation.

**Skin Contact:** 

May cause dermal irritation.

Inhalation:

Excessive inhalation of vapors may cause nasal and respiratory irritation.

**Ingestion:** 

Can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Delayed and immediate effects and also chronic effects from short and long term exposure: N/A

Numerical measures of toxicity:

INGREDIENT NAME	CAS#	%	ACUTE ORAL LD50	ACUTE DERMAL LD50	ACUTE INHALATION LC50
Vegetable oil	Trade secret	38-48	Not established	100 mg/24 hrs. rabbit-severe	Not established
Butyl Benzyl Phthalate	85-68-7	12-20	2330 mg/kg (rat)	6700 mg/kg (rat)	Not established
Glycerin	56-81-5	1-5	Not established	Not established	Not established

### **SECTION 12 – ECOLOGICAL INFORMATION**

# **Ecotoxicity:**

INGREDIENT NAME	CAS#	%	Fish Toxicity LC 50	Invertebrate Toxicity EC50	Plant Toxicity EC50
Vegetable oil	Trade secret	38-48	>1000 mg/l (zebra fish, 96 hrs.)	Not established	Not established
Butyl Benzyl Phthalate	85-68-7	12-20	>2.69 mg/l (other fish, 96 hrs.)	1.7 mg/l (water flea, 48 hrs.)	>2.69 mg/l, end point: biomass (other: algae, 96 hrs.)
Glycerin	56-81-5	1-5	>10,000 mg/l (golden orfe, 48 hrs.)	>10,000 mg/l (water flea, 24 hrs.)	Not established

Persistence and degradability:

N/A

**Bioaccumulative potential:** 

N/A

Mobility in soil:

N/A

Other adverse effects:

N/A

# SECTION 13 – DISPOSAL CONSIDERATIONS

#### **Disposal methods:**

Dispose of in accordance with federal, state, and local regulations.

## **SECTION 14 – TRANPORTATION INFORMATION**

**UN number:** 

UN3082

UN proper shipping name:

Environmentally Hazardous Substance, Liquid, NOS (Butyl Benzyl Phthalate), 9, III

Transport hazard class(es):

9

Packing group, if applicable:

Ш

**Environmental hazards:** 

N/A

Transport in bulk:

N/A

Special precautions for user:

N/A

# SECTION 15 – REGULATORY INFORMATION

## Safety, health and environmental regulations:

Not meant to be all-inclusive. Selected regulations presented.

**SARA Title III Section 311/312:** Immediate (eye irritant)

WHMIS Classification: Residual component(s) are below the concentration threshold listed of the ingredient disclosure list.

TSCA Status: Listed on TSCA Inventory OSHA Hazard Comm. Std.: See Section 2

CA = California Haz. Subst. List; CA65 = California Safe Drinking Water and Toxics Enforcement Act List; CT = Connecticut Tox. Subst. List; FL = Florida Subst. List; IL = Illinois Tox. Subst. List; LA = Louisiana Haz. Subst. List; MA = Massachusetts Subst. List; ME = Maine Haz. Subst. List; MN = Minnesota Haz. Subst. List; NJ = New Jersey Haz. Subst. List; PA = Pennsylvania Haz. Subst. List; RI = Rhode Island Haz. Subst. List.

## **SECTION 16 – OTHER INFORMATION**

Date of Preparation: 02/20/2017

To the best of our knowledge, the information contained herein is accurate. Final determination of the suitability of any material is the sole responsibility of the users. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.