


NOTE: IF EXISTING FOAM OR OTHER MATERIAL IS PRESENT AROUND PENETRATION, REMOVE IT FLUSH WITH DECK PRIOR TO PLACEMENT OF VERSAPROOF™ PRODUCTS. ENSURE GAP AROUND PIPE IS FILLED AND FLUSH WITH PIPE.



Drawing Title:
MEMBRANE AT RISER AND CLAMP

Project:
TYPICAL DETAIL

DISCLAIMER: THIS DRAWING IS INTENDED FOR INFORMATIONAL USE ONLY. ANY DIMENSIONS INCLUDED IN THIS DRAWING ARE BASED ON ESTIMATES OR INDUSTRY STANDARDS, AND ARE NOT GUARANTEED TO BE ACCURATE. VERSAFLEX INC. MAKES NO WARRANTY, REPRESENTATION OR GUARANTEE OF ANY KIND, INCLUDING WITHOUT LIMITATION, THE ACCURACY OF THE INFORMATION PROVIDED IN THIS DRAWING. THE USER'S RESPONSIBILITY IS TO VERIFY ALL DIMENSIONS PRIOR TO CONSTRUCTION. BRIDGE PRESERVATION IS PROVIDING THIS DRAWING WITH THE SOLE INTENTION OF ILLUSTRATING THE PLACEMENT OF THE BRIDGE PRESERVATION WATERPROOFING SYSTEM. BRIDGE PRESERVATION, INC. AND THIS DRAWING SHALL NOT BE INTERPRETED AS SUCH.

No.	Date
Issue:	
No.	
Issue:	
No.	
Issue:	
No.	
Issue:	

Date: 05/04/20
 Drawing Number: PD-3
 Scale: NTS
SHEET
 01
 OF
 01